References

Solankia A.B., Jolly R., Parikh, Parikh R. H., and Patel M. R., (2010), Evaluation of different compositions of niosomes to optimize aceclofenac transdermal delivery, Asian Journal of Pharmaceutical Sciences, 5 (3): 87-95

Azmin, M.N., Florence, A.T., Handjani-Vila, R.M., Stuart, J.F.B., Vanlerberghe, G., Whittaker, J.S., (1985). The effect of nonionic surfactant vesicle (niosome) entrapment on the absorption and distribution of methotrexate in mice. J. Pharm. Pharmacol. 37, 237-242.

Baillie, A.J., Florence, A.T., Hume, L.R., Muirhead, G.T., Rogerson, A., (1985). The preparation and properties of niosomes-nonionic surfactant vesicles. J.Pharm. Pharmacol. 37, 863-868.

Bangham, A. D. And Horne, R. W., (1964). Negative staining of Phospholipids and their structural modification by surface- active agents as observed in electron microscope. J. Mol. Biol. 8, 660-668.

Bangham, A.D., Hill, M.W., Miller, N.G.A., (1974). Preparation and use of liposomes as models of biological membranes. In: Korn, E. (Ed.), Methods in Membrane biology, Plenum Press, New York, pp. 1-68.

Bangham, A.D., Standish, M.M., Watkins, J.C., (1965). Diffusion of univalent ions across the lamellae of swollen phospholipids. J.Mol. Biol. 13, 238-252.

Bremier, D.D. and Speiser, P., (1987). Topics in Pharmaceutical Sciences. Elsevier publication, pp 291.

Carter, K.C., Dolan,T.F., Alexander, J., Baillie, A.J., Mccolgan, C., (1989). Visearal leishmaniasis: drug carrier system characteristics and the ability to clear parasites from the liver, spleen and bone marrow in Lieshmenia donovania infected BALB/c mice. J. Pharma. Pharmacol. 41, 87-91.

Chandraprakash, K. S., Udupa, N., Umadevi, P. Pillai, G.K., (1990). Pharmacokinetic evaluation surfactants vesicle- entrapped methotrexate in tumor-bearing mice. Int. J. Pharm. 61(1-2)

Chandraprakash, K. S., Udupa, N., Umadevi, P., Pillai, G.K., (1993). Effect of macrophase activation on plasma deposition of niosomal 3H-methotrexate in sarcoma-180 bearing mice. J.drug target. 1, 143-145.

Corvo, M. L., Jorge, C. S., Hof, R.V., Cruz, M.E.M.,Crommelin, D.J.A., Storm, G., (2002). Superoxide dismutase entrapped in long circulating liposomes: formulation design and therapeutic activity in rat adjuvant arthritis. Biochim. Biophys. Acta 56, 227-236.

Kerr D.J., A. Rogerson, G.J. Morrison, A.T. Florence & S.B. Kaye (1988), "Antitumour activity and pharmacokinetics of niosome encapsulated adriamycin in monolayer, spheroid and xenograft" Br. J. Cancer,Vol. 58, 432-436

Subodh D., Jain A., Mehta S.C., Gupta P., Jain S., Sahu J., (2010), Niosomes: The ultimate drug carrier, Drug Invention Today,2(1),72-77

Feldmann, M., Brennan, M.F., Maini, R.N., (1996). Rheumatoid arthritis. Cell 85, 307-310

Fendler, J.H., (1982). Membrane mimetic chemistry. Wiley John & Sons, New York, pp.158

Geletka,R.,and Clair, E.W., (2003). Treatment of early rheumatoid arthritis. Best Pract. Res. Cl. RH. 17, 791-809.

Gregoriadis, G., (1981). Targeting of drugs: implications in medicine. Lancet. 2, 241-246.

Grit, M., Underberg, W.J., Crommelin, D.J.A., (1993). Hydrolysis of saturated soybean phosphatidylcholine in aqueous liposome dispersions. J.Pharm. Sci. 82, 362-366.

Handjani-Vila, R.M., Rlbier, A., Rondot, B., Vanlerberghe, G., (1979). Dispersion of lamellar phases of non ionic lipids in cosmetic products. Int. J. Cosmetic Sci. 1, 303-314.

Hofland, H.E.J., Bouwstra, J.A., Spies, F., Bodde, H. E., Cullander, C., Jungiger, H.E., (1992). Proc. Int. Sym. Control Rel., Bioact Mater, Control Release Society, Inc. 19, 230

Juliano, R.L., (1980). Drug delivery systems, characteristic and biomedical applications, Oxford University Press, New York, pp3.

Jung-Ah Lee, S., Kavanaugh, A., (2003). Pharmacological treatmant of established rheumatoid arthritis. Best Pract. Res. Cl. RH 17, 811-829

Kemps, J.M.A., and Crommellin, D.J.A., (1988). Liposomes for drug delivery from physico-chemical studies to application .Pharm. Weekbl. 123, 355-363

Khandare, J.N., Madhavai, G., Tamhankar, B.M., (1994). Niosomes noble drug delivery system. Eastern Pharmacist 37, 61-64.

Kirby, C., Clarke, J., Gregoriadis, G., (1980). Effect of cholesterol content of small unilamellar liposomes on their stability in vivo and in vitro. Biochem. J. 186, 591-598.

Naresh, R.A.R., Singh, U.V., Udupa, N., Pillai, G.K., (1993). Anti-inflammatory activity of niosome encapsulated diclofenac sodium in rats. Indian drugs. 30, 275-278.

Park, Y., Maruyama, S.K., Huang L. (1992), Some negatively bcharged phospholipid derivatives prolong the liposome circulation in vivo. Biochim. Biophys. Acta 1108, 257-260

Parthasarathi, G., Udupa, N., Pillai, G.K., (1994). Formulation and in vitro evaluation of vincristine encapsulated niosomes. Ind. J. Pharm. Sci. 56, 90-95.

Rabinovich, G.A., (2000). Apoptosis as a target for gene therapy in rheumatoid arthritis. Mem. Inst. Oswaldo Cruz, Riode Janerio 95, 225-233

Rabinovich, G.A., (2000). Apoptosis as a target for gene therapy in rheumatoid arthritis. Mem. Inst. Oswaldo Cruz, Riode Janerio 95, 225-233

Roks, M.F.M., Visser, H.G.J., Zwikker, J.W., Verkley, A.J., Nolte, R.J.M., (1983). Polymerized vesicles derived from an isocyno amphiphile. Electron microscopic evidence of the polymerized state. J.Am. Chem. Soc. 105, 4507-4510.

Srinivas, S.Y., Anand K., Hemanth, A., Anitha, M., (2010), preparation and evaluation of niosomes containing aceclofenac, Digest Journal of Nanomaterials and Biostructures Vol. 5, No 1, 249 – 254

Daneshamouz, S., Majid T., Tavakoli N., Mahmoud R.J., (2005), Influence of Liposomes and Niosomes on the In Vitro Permeation and Skin Retention of Finasteride, Iranian Journal of Pharmaceutical Sciences: 1(3): 119-130

Bhaskaran S., and P.K. Lakshmi (2009), Comparative evaluation of niosome formulations prepared by different techniques, Acta Pharmaceutica Sciencia 51: 27-32

Srinath, P., Chary, M.G., Vyas, S.P., Diwan, P.V., (2000) Long circulating liposomes of indomethacine in arthritic rat - a biodisposition study. Pharm. Acta. Helv. 74, 399-404.

Srinath, P., Chary, M.G., Vyas, S.P., Diwan, P.V., (2000), Long circulating liposomes of indomethacine in arthritic rat - a biodisposition study. Pharm. Acta. Helv. 74, 399-404.

Tomilinson, E., (1991), Design of site specific protein drugs.Sci.Total Environ.109-110,9-16.

Uchegbu, I. F., and Vyas S. P., (1998), Non-ionic surfactant based vesicles (niosomes) in drug delivery. Int. J. Pharm. 172, 33-70.

Uchegbu, I.F., (2000), Niosomes and other synthetic surfactant vesicles with antitumour drugs. In: Uchegbu, I.F.(Ed.), Synthetic surfactant vesicles niosomes and other non-phospholipid vesicular systems, Harwood Academic Publisher, Amsterdam, pp. 115-134.

V sankar, Ruckmani K., Durga S., and Jailani S., (2010), proniosomes as drug carriers, pak. J. Pharm. Sci., vol.23, no.1, 103-107.

Vanlerberghe, G. Handjani-Vila, R.M., Berthelot, C., Sebag, H., (1972). Chemie, physikalische chemie and Anwendunggstechnik der grenzflachenaktiven stoffe. Berichte vom Vi. Internationalen Kongress fur grenzflachenaktive stoffe. Carl Hanser Verlag, Zurich.

Watson-Clark, R.A., Banquerigo, M.L., Shelly,K., Hawthorne, M.F., Brahn, E., (1998). Model studies directed towards the application of boron neutron capture therapy to rheumatoid arthritis. Boron delivery by liposomes in rat collagen – induced arthritis. Proc. Natl. Acad. Sci. 95, 2531-2534.

Weiner, N., Martin, F., Riaz, M., (1989), Liposomes as a drug delivery system. Drug Dev. Ind. Pharm.15, 1523-1554.

Widder, K.J. Senjei, A.E., and Sears,B.,(1982), Experimental methods in cancer therapeutics. J. Pharm. Sci. 71, 379-387.

Yatvin, M.B., Krentz, W., Horwitz, B.A., Shinitzky, M.,(1980). pH - sensitive liposomes : possible clinical implications. Science . 210, 1253-1255.

Yoshida, H., Lehr, C.M., Kok, W., Junginger, H.E., Verhoef , J.C., Bouwastra, J. A., (1992). Niosomes for delivery of peptide drugs. J. Contr. Rel. 21, 145-154.

Yoshioka T., Sternberg, B., Florence, A.T., (1994). Preparation and properties of vesicles (niosome) of sorbitan monoester (span-20, span-40, span-60 and span-80) and sorbitan trimester (span-85). Int. J.Pharm. 105, 1-6.

Yoshioka, T., Sternberg, M., Moody, M., Florence, A.T., (1992) .Niosomes from span surfactants : relations between structure and form. J.Pharm. Pharmacol. Suppl. 44, 1044.

Zuidam, N.J., Lee, S.L., Crommelin, D.J.A., (1993). Sterilization of liposomes by heat treatment, Pharm. Res .11, 1591-1596.